

BIO RISK

2407 Oakfield Dr. P.O. Box 2326, Midland, MI 48641-2326
Tel & Fax (989)839-8130, e-mail BIORISK 1 @AOLCOM

STATEMENT OF CONFORMANCE FOR ART MATERIALS^R
(LHAMA AND CALIFORNIA PROPOSITION 65)

LIQUID GLAZE

February 24, 2004

TO: Coyote Clay & Color
5125 Edith Blvd NE
Albuquerque, NM 87107

FROM: JOHN J. CLARY, PH.D. FELLOW A.T.S.

ART MATERIAL: Liquid Turquoise Glaze (898-1) from Coyote Clay & Color, its Franchisees, Distributors and Dealers

I have reviewed the toxicity of the current chemical composition of the above named art material. The review is based on specific information on acute and chronic toxicity, physical form, bioavailability, concentration used, standard practices and related information. The risk assessment on the art material itself is attached.

In my professional judgement, based on this evaluation, your art material listed above conforms to ASTM D 4236. The statement "conforms to ASTM D 4236" is required for chronic toxicity. No labeling is required under the provisions of FIISA (16CFR 1500.3). This art material must be re-evaluated at least every five years.

No labeling is required under the provisions of The California Safe Drinking Water and Toxic Enforcement Act of 1986.

This material is determined to be non-toxic under proposed use conditions

DRY GLAZE and SPRAY APPLICATION

ART MATERIAL: Liquid Turquoise Glaze (898-1) from Coyote Clay & Color, its Franchisees, Distributors and Dealers

I have reviewed the toxicity of the current chemical composition of the above named art material. The review is based on specific information on acute and chronic toxicity, physical form,

bioavailability, concentration used, standard practices and related information. The risk assessment on the art material itself is attached.

In my professional judgement, based on this evaluation, your art material listed above conforms to ASTM D 4236. The statement “conforms to ASTM D 4236” is required for chronic toxicity.

A warning is required and should have the following signal word on the label: WARNING.

The label should state that this glaze contains QUARTZ. The following chronic hazard statements should be used:

1. POSSIBLE CANCER AGENT BASED ON TESTS WITH LABORATORY ANIMALS.
2. EXPOSURE MAY CAUSE LUNG DAMAGE

The following precautionary statements are recommended:

1. KEEP OUT OF REACH OF CHILDREN
2. AVOID INHALATION

The label should also state: CALL YOUR LOCAL POISON CONTROL CENTER FOR MORE HEALTH INFORMATION.

Labeling is also required under the provisions of The California Safe Drinking Water and Toxic Enforcement Act of 1986 (Prop 65) but not under the provisions of the FHSA (16CFR 1500.3).

The label should state Warning: This product contains a chemical (quartz) known to the State of California to cause cancer.

This art material must be re-evaluated at least every five years.